Results for "(monitoring<in>metadata) <and> (execution<in>metadata) <and> (usage of product<in>metadata)"

e-mail

Your search matched **0** of **1137806** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» View Session History

» New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

(monitoring<in>metadata) <and> (execution<in>metadata) <and> (usage of pro

Check to search only within this results set

Display Format: Citation Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

Results for **"((usage and product and execution and module and reducer)<in>metadata)"**

Your search matched **0** of **1137806** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» View Session History

» New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((usage 'and' product 'and' execution 'and' module 'and' reducer)<in>metadata)

Check to search only within this results set

Display Format: Citation Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

Wed, 30 Mar 2005, 11:47:40 AM EST

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Search Query Display

[redacted]

Recent Search Queries

#1	(monitoring<in>metadata) <and> (execution<in>metadata) <and> (usage of product<in>metadata)
#2	(monitoring<in>metadata) <and> (execution<in>metadata) <and> (usage of product<in>metadata)
#3	(monitoring<in>metadata) <and> (execution<in>metadata) <and> (usage of product<in>metadata)
#4	((usage and product and execution and module and reducer)<in>metadata)
#5	((usage of product and filter and execution and module)<in>metadata)
#6	((product and execution and module and filter)<in>metadata)
#7	((product and execution and module and filter)<in>metadata)

[redacted]

Terms used
concurrent and **usage** **of** **product** and **execute** and **module** and **filter**

Found **42,945** of **151,219**

Sort results by relevance

Display results expanded form

Save results to a Binder

Search Tips

Open results in a new window

Try an Advanced Search

Try this search in The ACM Guide

Results 1 - 20 of 200 Result page: **1** 2 3 4 5 6 7 8 9 10 next

Best 200 shown

Relevance scale

1 Fast detection of communication patterns in distributed executions

Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Full text available: pdf(4.21 MB) Additional Information: full citation, abstract, references, index terms

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

2 Debugging concurrent programs

Charles E. McDowell, David P. Helmbold

December 1989 **ACM Computing Surveys (CSUR)**, Volume 21 Issue 4

Full text available: pdf(2.86 MB) Additional Information: full citation, abstract, references, citings, index terms, review

The main problems associated with debugging concurrent programs are increased complexity, the "probe effect," nonrepeatability, and the lack of a synchronized global clock. The probe effect refers to the fact that any attempt to observe the behavior of a distributed system may change the behavior of that system. For some parallel programs, different executions with the same data will result in different results even without any attempt to observe the behavior. Even when the behavior can be ...

3 Query evaluation techniques for large databases

Goetz Graefe

June 1993 **ACM Computing Surveys (CSUR)**, Volume 25 Issue 2

Full text available: pdf(9.37 MB) Additional Information: full citation, abstract, references, citings, index terms, review

Database management systems will continue to manage large data volumes. Thus, efficient algorithms for accessing and manipulating large sets and sequences will be required to provide acceptable performance. The advent of object-oriented and extensible database systems will not solve this problem. On the contrary, modern data models exacerbate the problem: In order to manipulate large sets of complex objects as efficiently as today's

Terms used
contemporaneously and **usage** **of** **product** and **execute** and **module** and **filter**

Found **38,611** of **151,219**

Sort results by: relevance

Display results: expanded form

Save results to a Binder

Search Tips

Open results in a new window

Try an Advanced Search

Try this search in The ACM Guide

Results 181 - 200 of 200 Result page: previous 1 2 3 4 5 6 7 8 9 **10**

Best 200 shown

Relevance scale

181 Analysis of navigation behaviour in web sites integrating multiple information systems

Bettina Berendt, Myra Spiliopoulou

March 2000 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 9 Issue 1

Full text available: pdf(281.14 KB) Additional Information: full citation, abstract, index terms

The analysis of web usage has mostly focused on sites composed of conventional static pages. However, huge amounts of information available in the web come from databases or other data collections and are presented to the users in the form of dynamically generated pages. The query interfaces of such sites allow the specification of many search criteria. Their generated results support navigation to pages of results combining cross-linked data from many sources. For the analysis of visitor naviga ...

Keywords: Conceptual hierarchies, Data mining, Query capabilities, Web databases, Web query interfaces, Web usage mining

182 Run-time adaptation in river

Remzi H. Arpaci-Dusseau

February 2003 **ACM Transactions on Computer Systems (TOCS)**, Volume 21 Issue 1

Full text available: pdf(849.04 KB) Additional Information: full citation, abstract, references, index terms

We present the design, implementation, and evaluation of run-time adaptation within the River dataflow programming environment. The goal of the River system is to provide adaptive mechanisms that allow database query-processing applications to cope with performance variations that are common in cluster platforms. We describe the system and its basic mechanisms, and carefully evaluate those mechanisms and their effectiveness. In our analysis, we answer four previously unanswered and important que ...

Keywords: Performance availability, clusters, parallel I/O, performance faults, robust performance, run-time adaptation

183 The reuse of uses in Smalltalk programming

Mary Beth Rosson, John M. Carroll

September 1996 **ACM Transactions on Computer-Human Interaction (TOCHI)**, Volume 3 Issue 3

Refine Search

Search Results -

Terms	Documents
L16 and L6	3

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L17

Refine Search | Recall Text | Clear | Interrupt

Search History

DATE: Wednesday, March 30, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=USPT; PLUR=YES; OP=ADJ		
L17	L16 and l6	3	L17
L16	717/120,127,131,139.ccls.	680	L16
	DB=TDBD; PLUR=YES; OP=ADJ		
L15	(reduc$ or restrict$ or filter$) near5 (convert$ or translat$ Or correlat$)and (reflect$ near6 execut$ near4 (load$ or modul$))and (execut$ near4 (load$ or modul$)) and (contempor$ or concurrent$ Or parallel$)	0	L15
	DB=DWPI; PLUR=YES; OP=ADJ		
L14	(reduc$ or restrict$ or filter$) near5 (convert$ or translat$ Or correlat$)and (reflect$ near6 execut$ near4 (load$ or modul$))and (execut$ near4 (load$ or modul$)) and (contempor$ or concurrent$ Or parallel$)	0	L14
	DB=JPAB; PLUR=YES; OP=ADJ		
L13	(reduc$ or restrict$ or filter$) near5 (convert$ or translat$ Or correlat$)and (reflect$ near6 execut$ near4 (load$ or modul$))and (execut$ near4 (load$ or modul$)) and (contempor$ or concurrent$ Or parallel$)	0	L13

DB=EPAB; PLUR=YES; OP=ADJ			
L12	(reduc$ or restrict$ or filter$) near5 (convert$ or translat$ Or correlat$)and (reflect$ near6 execut$ near4 (load$ or modul$))and (execut$ near4 (load$ or modul$)) and (contempor$ or concurrent$ Or parallel$)	0	L12
DB=PGPB; PLUR=YES; OP=ADJ			
L11	(reduc$ or restrict$ or filter$) near5 (convert$ or translat$ Or correlat$)and (reflect$ near6 execut$ near4 (load$ or modul$))and (execut$ near4 (load$ or modul$)) and (contempor$ or concurrent$ Or parallel$)	1	L11
DB=USPT; PLUR=YES; OP=ADJ			
L10	(execut$ near4 (load$ or modul$ or program$ or code$) same (usag$ near4 product$))	28	L10
L9	(execut$ near4 (load$ or modul$ or program$ or code$) near9 (usag$ near4 product$))	2	L9
L8	L7 and (execut$ near4 (load$ or modul$ or program$) near9 (usag$ near4 product$))	0	L8
L7	L5 and (execut$ near4 (load$ or modul$)) and (contempor$ or concurrent$ Or parallel$)	79	L7
L6	L5 and (execut$ near4 (load$ or modul$))	88	L6
L5	l3 and (usa$ near8 product$)	810	L5
L4	L3 and (reflect$ near6 execut$ near4 (load$ or modul$))	4	L4
L3	(reduc$ or restrict$ or filter$) near5 (convert$ or translat$ Or correlat$)	81382	L3
L2	L1 and (correlat$ or translat$ or relat$ or convert$)	1	L2
L1	5499340.pn.	1	L1

END OF SEARCH HISTORY